



# Contact insert M23 Signal - 19-pole

Item number 7003919102



## Technical data

Characteristic of connection	Crimp
Number of poles	19
Pole picture	19
Insert	Socket
colour	white
Material insulating body	PA 6 , PBT
Number of contacts signal	16
Number of contacts power	3
Contact-Ø signal	1 mm
Contact-Ø power	1.5 mm
Terminal cross section power	0.14 - 1 mm <sup>2</sup>
Nominal current power	10 A
Nominal current signal	8 A
Nominal voltage at degree of pollution 3 signal	100 V <sup>~</sup>

# Contact insert M23 Signal - 19-pole

Item number 7003919102

Nominal voltage at degree of pollution 3 power	100 V~
Test voltage signal	1500 V~
Test voltage power	1500 V~
Insulation resistance signal	> 10 <sup>6</sup> Ohm
Insulation resistance power	> 10 <sup>6</sup> Ohm
max. contact resistance signal	3 mOhm
max. contact resistance power	3 mOhm
Degree of Protection	3
Flammability	V-0 (UL 94)

# Contact insert M23 Signal - 19-pole

Item number 7003919102

## Commercial data

Packaging Unit	100
EAN code	4033878501443
Weight	0.00327 kg
ETIM 7	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85472000

## Note:

