



# Contact insert M16 - 8-pole

Item number 7003943101



## Technical data

Characteristic of connection	Crimp
Number of poles	8
Pole picture	4 + 3 + PE
Coding	PE
Insert	Pin
colour	white
Material insulating body	PA 6 , PBT
Number of contacts signal	4
Number of contacts power	4
Number of contacts PE	1
Contact-Ø signal	0.8 mm
Contact-Ø power	1.6 mm
Terminal cross section power	0.34 - 1,5 mm <sup>2</sup>
Nominal current power	16 A
Nominal current signal	5 A

# Contact insert M16 - 8-pole

Item number 7003943101

Nominal voltage at degree of pollution 3 signal	160 V~
Nominal voltage at degree of pollution 3 power	320 V~
Test voltage signal	1500 V~
Test voltage power	2500 V~
Insulation resistance signal	$> 10^{10}$ Ohm
max. contact resistance signal	3 mOhm
Degree of Protection	3
Flammability	V-0 (UL 94)

# Contact insert M16 - 8-pole

Item number 7003943101

## Commercial data

Packaging Unit	5
EAN code	4033878501511
Weight	0.00281 kg
ETIM 7	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85472000

## Note:

